

8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA 360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com

Product Bulletin

FOAM-MIX CONCENTRATED FOAM ADDITIVE FOR USE WITH PERACETIC ACID USE-SOLUTIONS

CONCENTRATED

FOAM-MIX is a concentrated product, resulting in low-cost option for generating foam in use-solutions of product for foam application.

CONVENIENT

Because **FOAM-MIX** is a liquid, it can be dispensed accurately and efficiently through automatic feed/control systems.

HIGH FOAMING

FOAM-MIX provides an abundant amount of foaming to assist in longer contact time of solution and soil during the cleaning process. It is useful when the cleaning solution needs to contact upper portions of conveyors and vessels.

FREE RINSING

The wetting agents in **FOAM-MIX** provide excellent rinsing ability and inhibit the formation of calcium carbonate (CaCO₃) precipitate in the rinse cycle.

SAFETY & HANDLING PROCEDURE

While **FOAM-MIX** is a relatively inert material, it is suggested that safety glasses and impervious gloves be worn when handling the concentrated product. Read the Material Safety Data Sheet for further safety and handling details.

TYPICAL APPLICATIONS

FOAM-MIX is recommended for use on conveyors and conveyor brushes, framework, augers, mixers, tile walls, floors, and general food processing equipment. Do not combine **FOAM-MIX** with chlorinated detergent or sanitizers.

GENERAL DIRECTIONS

For generating foam: Use ½ ounce of FOAM-MIX per gallon of water that has already been made into a use-solution. This use rate is very effective in Hydro-Foamers. Mix well before use.

For light-duty manual cleaning: Use 2 to 3 ounces of **FOAM-MIX** per gallon of 130°F water. Brush, mop, or spray solution onto surface to be cleaned. Wash walls from bottom to top to avoid streaks on paint. Rinse with fresh water.

PHYSICAL PROPERTIES

Appearance	Light Yellow Liquid
Odor	Mild
Foam	High
Pounds per Gallon	8.4-8.9
pH of 1% solution	7.0-9.0

Seller Warranty

CH₂O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH₂O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH₂O products is subject to the Standard Terms and Conditions as listed on CH₂O, Inc.'s website at: www.ch2o.com.



