



8820 Old Hwy 99 SE, Tumwater, Washington 98501, USA
360-943-6063 800-562-6184 FAX 360-352-4813 www.ch2o.com



WHITEWALL CLEANER

Whitewall and Tire Cleaner

TYPICAL APPLICATIONS

WHITEWALL CLEANER incorporates various penetrating surfactants and chelants to soften and remove brake dust from whitewalls and wheel rims.

DIRECTIONS FOR USE FOR TIRES AND WHEELS ONLY

WHITEWALL CLEANER is a concentrated material that can be used full strength (ready-to-go) on tires and wheels. When used full strength apply only to tires and wheels. Liberally apply solution of **WHITEWALL CLEANER** to tires and wheels. Allow solution to remain on tires and wheels long enough to remove road grime and brake dust, but do not allow to dry. Rinse solution and debris from surface with fresh water.

WHITEWALL CLEANER can be used for various cleaning applications, according to the following recommended dilution rates:

CONVENTIONAL APPLICATION: Add 1/2 to 1-1/2 gallons of **WHITEWALL CLEANER** to 5 gallons of water and mix gently. Apply solution liberally and allow surface to soak long enough to remove bugs, debris, etc. Do not allow solution to dry before rinsing with water.

LOW PRESSURE/PRE SOAK: Dilute 1 part of **WHITEWALL CLEANER** with 48 parts of water (or 2-3 ounces per gallon of water).

FREE RINSING

Select wetting agents in **WHITEWALL CLEANER** provide excellent lubrication and rinsing ability, yielding a streak-free shine.

SAFETY & HANDLING PROCEDURE

WHITEWALL CLEANER is an alkaline surfactant and chelant solution. Safety glasses and impervious gloves should be worn when handling the concentrated product. Impervious gloves should be worn for prolonged or repeated exposure to product use-solutions.

PHYSICAL PROPERTIES

Appearance..... Purple Liquid
Odor..... Mild
Pounds per Gallon.....8.4-8.9
pH of 10% Solution..... 11.0-12.0
Flash Point..... >200°F

Seller Warranty

CH₂O brand test reagent refills are available through your sales representative at no charge. Customers are required to confirm product compatibility via a control test for their specific application. CH₂O recommends that you perform regular/daily testing to control chemical levels and cycles of concentration within established limits. Additional tests may be performed at your request. Test reports reflect conditions at the point when the analysis was performed. Results will change over time and with varying operating conditions.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the product data sheet. Buyer is responsible to ensure that products and product dosages are appropriate for Buyer's particular application. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort. Jurisdiction for any issues arising from or relating to this product shall be in the courts of the State of Washington and the venue shall be Thurston County. Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the rules and procedures as stated in RCW 7.06 and shall be binding upon both parties without right to appeal, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.

Applies to all products sold by CH₂O, Inc., and is hereby communicated to all of its customers as a condition of sale. Use of CH₂O products is subject to the Standard Terms and Conditions as listed on CH₂O, Inc.'s website at: www.ch2o.com.



VERSION DATE: October 27, 2008 REVISION DATE: September 2011

