

1 - PRODUCT IDENTIFICATION

PRODUCT NAME:......AQUA-KLEAN
PRODUCT USE:.....General Cleaner
COMPANY:......CH₂O, Incorporated

8820 Old Hwy. 99 SE, Tumwater, WA 98501

360-943-6063, 800-562-6184, (fax) 360-352-4813, www.ch2o.com

EMERGENCY PHONE:(800) 424-9300 (CHEMTREC)

2 - HAZARDS IDENTIFICATION

GHS ENVIRONMENTALCLASSIFICATIONS: None

GHS PHYSICAL CLASSIFICATIONS:......Oxidizing Liquids (2)







GHS SIGNAL WORD: DANGER

GHS HAZARD STATEMENTS:

H272: May intensify fire; oxidizer

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage

H335: May cause respiratory irritation

H290: May be corrosive to metals

GHS PRECAUTIONARY STATEMENTS:

PREVENTION:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220: Keep/Store away from clothing and other combustible materials.

P221: Take any precaution to avoid mixing with combustibles.

P260: Do not breathe dust/fumes/gas/mist/vapors/spray.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P234: Keep only in original container.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

P273: Avoid release to the environment.

RESPONSE:

P301+310+330+331: IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340, 312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER if you feel unwell.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present



and easy to do - continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P370+378: IN case of fire: Use water fog, foam, dry chemical powder, or carbon dioxide to extinguish.

P390: Absorb spillage to prevent material damage.

STORAGE:

P405: Store locked up.

P403+233: Store in a well ventilated place, in a tightly closed container.

P406: Store in a corrosion resistant container, such as HDPE, or use a compatible inner liner.

DISPOSAL:

P501: Dispose of contents/container in accordance with local, state, and federal regulations.

HAZARDS NOT OTHERWISE CLASSIFIED: None known

UNKNOWN TOXICITY STATEMENT: 0% of this mixture consists of ingredient(s) of unknown acute oral

toxicity.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

TRADE SECRET STATEMENT: The specific chemical identity and/or the exact percentage of composition has been withheld as a trade secret.

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER	OSHA-STEL	OSHA-TWA

4 - FIRST-AID MEASURES

EYES: Flush with large amounts of water, lifting upper and lower lids occasionally. Get medical attention if irritation persists. SKIN: Wash exposed areas thoroughly with soap and water. Remove contaminated clothing and launder before reuse. If skin feels slippery, continue washing until slick feeling is gone. Contact a physician if irritation persists. INGESTION: Give large quantities of water. DO NOT induce vomiting. If vomiting occurs administer additional fluids. Contact a physician for further directions. Never give anything by mouth to an unconscious person. INHALATION: Remove individual to fresh air. If breathing is difficult, give oxygen. Contact a physician if irritation persists.

5 - FIRE-FIGHTING MEASURES

When responding to a fire involving this product, personal protection equipment must be worn that is appropriate to the chemicals involved in the fire, as well as respiratory protection. If it can be done safely and without risk, stop any release of chemical at the source. Move undamaged containers away from the vicinity of the fire if it can be done safely. Water spray may be used in cooling equipment and containers that have been exposed to heat and/or flame. Avoid spreading burning material with water used for cooling purposes.

FLASHPOINT: >200°F

EXTINGUISHING MEDIA: Water spray or Chlorine Dioxide

SPECIAL FIRE FIGHTING PROCEDURES: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: This material is an oxidizing agent. Product residues can supply oxygen to stimulate or accelerate combustion of organic or other combustible materials. These fires are difficult to extinguish.



6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Only trained personnel equipped with proper protective gear should be permitted in the area. Stop spill at source. Reclaim material if possible for reuse. Containerize contaminated material for disposal. After all visible traces have been removed flush area thoroughly with water.

WASTE: Dispose of all waste in accordance with local, state and federal regulations. Care must be taken when using or disposing of chemical materials and/or their containers to prevent environmental contamination.

7 - HANDLING and STORAGE

HANDLING & STORAGE: This is an acidic product. Eye contact will cause severe irritation with possible burns. Prolonged or repeated skin contact will cause irritation with possible burns. Ingestion will cause damage to the stomach and other tissue contacted. Excessive inhalation of product dust/mist can cause irritation and/or burns to the respiratory system. Wear impervious gloves and safety glasses or goggles when handling product. If vapors are present at or above TLV respiratory protection must be worn. Wear additional protective clothing as necessary to minimize contact with product.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guidelines. When respiratory protection is required, use an approved air-purifying respirator. When exposure guidelines may be greatly exceeded, use an approved positive pressure self-contained breathing apparatus. A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

PROTECTIVE CLOTHING: Chemical safety glasses, impervious gloves and an apron. Vapor Respirator.

9 - PHYSICAL / CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

APPEARANCE; Color & Odor: .. Colorless; Moderate, pungent

SPECIFIC GRAVITY:..... 1.13 **pH, 1%:...** 1.0-3.0

SOLUBILITY IN WATER:..... Complete in water.

VOLATILITY (wt. %, incl. H₂O): . >60

10 - STABILITY and REACTIVITY

STABILITY: Stable

HAZARDOUS DECOMP.: None known

INCOMPATIBILITY: Dirt, alkali (lye), organics, leather, paper, wood and heavy metals. Never return product to original container. Do not store near reducing agents, fuels, organic material or other non-compatible materials.

HAZARDOUS REACTIONS: Greatly increases the burning rate of combustible materials. Avoid heat, and contact with combustible materials and reducing agents.



11 - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL PROPERTIES: The toxicological properties of this chemical mixture as a whole have not been thoroughly investigated.

LISTED CARCINOGEN: This material does not contain any known or suspected carcinogens.

MEDICAL CONDITION AGGRAVATED: None known

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE: The environmental properties of this chemical mixture have not been thoroughly investigated.

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of all waste product and wastes generated from this product in accordance with local, state, and federal regulations. Assume wastes are hazardous unless characterization demonstrates otherwise. Handle empty drums as if they contain chemical residual until they have been thoroughly decontaminated.

14 - TRANSPORTATION INFORMATION

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

EPA SARA Title III Chemical Listings:

 Acute:
 Yes
 Chronic:
 No

 Fire:
 No
 Pressure:
 No

 Reactive:
 Yes

SARA SECTION 313: This product DOES NOT contain toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act and 40 CFR Part 372.

16 – OTHER INFORMATION

HMIS RATING:

HEALTH: 3, FLAMMABILITY: 0, REACTIVITY: 1, PERSONAL PROTECTION: H

ADDITIONAL INFORMATION: None known