

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
263	Color Guard	PH: Acidifying Agent	NONE
1268	Organic Emitter Clean	CPA: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
1355	IVR-SAN 7.5	PH: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
1363	Aqua-Clear 15	CPA: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
1887	Clean Finish	PH: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
2034	Activator H	PH: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
2216	Activator CH	PH: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
2381	Adjuvant H	PH: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
2382	Adjuvant CH	PH: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
2402	Organic Emitter Clean Plus	CPA: Chlorine Material	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
2480	Adjuvant HW	PH: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
2745	SANI-PAC	DPC: Peracetic Acid	For use in disinfecting equipment, seed, and asexually propagated planting material
2954	Organic pH-D	CPA: Spray Adjuvant	NONE
3169	Color Guard	CPA: Citric Acid	NONE

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
3217	Clean Finish	CPA: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
3218	Organic pH-D	PH: Citric Acid	NONE
3219	Aqua-Clear 15	PH: Chlorine Dioxide Generator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
3225	IVR-SAN 7.5	CPA: Chlorine Material	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
3287	Adjuvant H	CPA: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.
3288	Adjuvant CH	CPA: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner

Washington State Department of Agriculture Organic Program

In accordance with Chapter 15.86 RCW and Chapter 16-160 WAC - this

Organic Input Material Registration Certificate

is issued to:

CH2O, Inc.
8820 Old Hwy. 99 SE
Olympia, WA 98501
United States

The following products have been evaluated for use in organic agriculture and WSDA has determined they comply with the applicable sections of 7 CFR 205 for the purposes listed on this certificate when all listed restrictions are observed:

No.	Product Name	Type	Restrictions on use
3473	Sani-Pac 5.6	CPA: Hydrogen Peroxide	For use in wash and/or rinse water according to FDA limitations. For use as a sanitizer on food contact surfaces.
3540	Sani-Pac 5.6	DPC: Hydrogen Peroxide	Preventative practices must be implemented prior to use.
3654	Activator CH	CPA: Chlorine Dioxide Activator	Must be used for the generation of chlorine dioxide only. Residual chlorine levels in the water shall not exceed the maximum residual disinfectant limit under the Safe Drinking Water Act.

Registration Number: 84

Issue Date: 01/08/2025

Registration valid through: 12/31/2025



Brenda Book
Organic Program Manager



CPA - Crop Production Aid, DPC - Disease and Pest Control, FSA - Fertilizer and Soil Amendment, LF - Livestock Feed, LH - Livestock Health Care, LPA - Livestock Production Aid, PH - Processing and Handling, PPC - Processing Pest Control, PSC - Processing Sanitizer and Cleaner